

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
 Data File : VW023145.D
 Acq On : 18 May 2022 21:40
 Operator : SY/VA
 Sample : VIBLK465
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK465

Quant Time: May 19 04:54:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 19 04:23:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	297585	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	299369	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	135746	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	140024	22.934	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.720%		
7) Chloroethane-d5	2.885	69	91910	23.139	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.560%		
11) 1,1-Dichloroethene-d2	4.019	63	130546	16.548	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.200%		
21) 2-Butanone-d5	7.086	46	55446	47.764	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	95.520%		
24) Chloroform-d	7.653	84	208223	23.883	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	95.520%		
26) 1,2-Dichloroethane-d4	8.305	65	119855	25.065	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	100.240%		
32) Benzene-d6	8.275	84	421017	24.399	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	97.600%		
36) 1,2-Dichloropropane-d6	9.274	67	127613	26.328	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	105.320%		
41) Toluene-d8	10.323	98	429896	25.790	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	103.160%		
43) trans-1,3-Dichloroprop...	10.579	79	55690	24.953	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	99.800%		
47) 2-Hexanone-d5	10.927	63	46588	50.349	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	100.700%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	107457	23.785	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	95.160%		
66) 1,2-Dichlorobenzene-d4	13.847	152	127216	26.809	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	107.240%		
Target Compounds						Qvalue
16) Methylene chloride	4.922	84	23565	5.412	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
Data File : VW023145.D
Acq On : 18 May 2022 21:40
Operator : SY/VA
Sample : VIBLK465
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK465

Quant Time: May 19 04:54:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 19 04:23:21 2022
Response via : Initial Calibration

