

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
 Data File : VW023150.D
 Acq On : 18 May 2022 23:41
 Operator : SY/VA
 Sample : N2848-09
 Misc : 4.79g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXXY0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2022
 Supervised By :Mahesh Dadoda 05/27/2022

Quant Time: May 19 04:55:30 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 19 04:23:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	316863	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	313158	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	144842	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	78699	12.106	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	48.440%
7) Chloroethane-d5	2.879	69	61681	14.584	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.320%
11) 1,1-Dichloroethene-d2	4.019	63	84012	10.002	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	40.000%#
21) 2-Butanone-d5	7.080	46	53343	43.157	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.320%
24) Chloroform-d	7.653	84	179954	19.385	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	77.520%
26) 1,2-Dichloroethane-d4	8.305	65	102290m	20.090	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.360%
32) Benzene-d6	8.275	84	318843	17.664	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	70.640%
36) 1,2-Dichloropropane-d6	9.274	67	101475	20.013	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.040%
41) Toluene-d8	10.323	98	285486	16.373	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	65.480%
43) trans-1,3-Dichloroprop...	10.579	79	34448	14.755	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	59.040%
47) 2-Hexanone-d5	10.927	63	42736	44.152	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.300%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	103484	21.897	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.600%
66) 1,2-Dichlorobenzene-d4	13.853	152	99464	19.645	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.560%
Target Compounds					Qvalue	
25) Chloroform	7.671	83	4220	0.493	ug/L #	56

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051822\
Data File : VW023150.D
Acq On : 18 May 2022 23:41
Operator : SY/VA
Sample : N2848-09
Misc : 4.79g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
EXXY0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2022
Supervised By :Mahesh Dadoda 05/27/2022


Quant Time: May 19 04:55:30 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 19 04:23:21 2022
Response via : Initial Calibration





Chloroform
 Concen: 0.493 ug/L
 RT: 7.671 min Scan# 94
 Delta R.T. -0.006 min
 Lab File: VW023150.D
 Acq: 18 May 2022 23:41

Instrument :
 MSVOA_W
 ClientSampleId :
 EXXY0



Tgt Ion: 83 Resp: 4220
 Ion Ratio Lower Upper
 83 100
 85 101.5 46.6 86.6

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/20/2022
 Supervised By :Mahesh Dadoda 05/27/2022

