

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051823\
 Data File : VW025986.D
 Acq On : 18 May 2023 10:36
 Operator : SY/MD
 Sample : VW0518SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK503

Quant Time: May 19 04:37:28 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 19 04:36:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	461653	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	429704	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	202080	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	165080	25.234	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.920%
7) Chloroethane-d5	2.893	69	137760	28.404	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	113.600%
11) 1,1-Dichloroethene-d2	4.021	65	65900	20.117	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.480%
21) 2-Butanone-d5	7.075	46	99622	46.064	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.120%
24) Chloroform-d	7.740	84	339	0.025	ug/L	0.09
Spiked Amount	25.000	Range	40 - 150	Recovery	=	0.120%#
26) 1,2-Dichloroethane-d4	8.307	65	180781	24.016	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.080%
32) Benzene-d6	8.276	84	607433	21.634	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.520%
36) 1,2-Dichloropropane-d6	9.270	67	201184	22.395	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.560%
41) Toluene-d8	10.319	98	517802	20.681	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	82.720%
43) trans-1,3-Dichloroprop...	10.575	79	73943	20.306	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.240%
47) 2-Hexanone-d5	10.922	63	67282	43.921	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.840%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	161325	23.561	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.240%
66) 1,2-Dichlorobenzene-d4	13.848	152	178787	24.270	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.080%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051823\
Data File : VW025986.D
Acq On : 18 May 2023 10:36
Operator : SY/MD
Sample : VW0518SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK503

Quant Time: May 19 04:37:28 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 19 04:36:54 2023
Response via : Initial Calibration

