

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051922\
 Data File : VW023164.D
 Acq On : 19 May 2022 10:55
 Operator : SY/VA
 Sample : VW0519SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK511

Quant Time: May 20 01:49:29 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 20 01:47:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	292198	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	272828	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	137892	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	114630	19.121	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.480%
7) Chloroethane-d5	2.885	69	80291	20.587	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.360%
11) 1,1-Dichloroethene-d2	4.013	63	112723	14.552	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.200%
21) 2-Butanone-d5	7.080	46	52650	46.192	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.380%
24) Chloroform-d	7.647	84	208461	24.351	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.400%
26) 1,2-Dichloroethane-d4	8.512	65	99	0.021	ug/L	0.21
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.275	84	401276	25.517	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.080%
36) 1,2-Dichloropropane-d6	9.274	67	106620	24.137	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.560%
41) Toluene-d8	10.323	98	350237	23.056	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.240%
43) trans-1,3-Dichloroprop...	10.579	79	44471	21.864	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.440%
47) 2-Hexanone-d5	10.920	63	37330	44.268	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.540%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	96834	23.519	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.080%
66) 1,2-Dichlorobenzene-d4	13.853	152	118605	24.606	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.440%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051922\
Data File : VW023164.D
Acq On : 19 May 2022 10:55
Operator : SY/VA
Sample : VW0519SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK511

Quant Time: May 20 01:49:29 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 20 01:47:53 2022
Response via : Initial Calibration

