

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051923\
 Data File : VW026009.D
 Acq On : 19 May 2023 16:52
 Operator : SY/MD
 Sample : 02851-11
 Misc : 4.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 H0FK4

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 05/22/2023
 Supervised By :Mahesh Dadoda 05/22/2023

Quant Time: May 20 05:09:21 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat May 20 04:57:36 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	760060	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	671178	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	270490	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	198889	18.466	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.880%		
7) Chloroethane-d5	2.893	69	174268	21.824	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	87.280%		
11) 1,1-Dichloroethene-d2	4.021	65	99794	18.504	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	74.000%		
21) 2-Butanone-d5	7.075	46	158566	44.533	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.060%		
24) Chloroform-d	7.648	84	488156	22.274	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	89.080%		
26) 1,2-Dichloroethane-d4	8.307	65	285303m	23.021	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.080%		
32) Benzene-d6	8.276	84	953683	21.746	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.000%		
36) 1,2-Dichloropropane-d6	9.270	67	328205	23.390	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	93.560%		
41) Toluene-d8	10.325	98	800515	20.470	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.880%		
43) trans-1,3-Dichloroprop...	10.575	79	110859	19.490	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	77.960%		
47) 2-Hexanone-d5	10.922	63	110547	46.201	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	92.400%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	260067	24.317	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	97.280%		
66) 1,2-Dichlorobenzene-d4	13.848	152	233402	23.670	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.680%		
Target Compounds					Qvalue	
13) Acetone	4.125	43	22482	7.121	ug/L	97
16) Methylene chloride	4.923	84	33944	2.166	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW051923\
Data File : VW026009.D
Acq On : 19 May 2023 16:52
Operator : SY/MD
Sample : 02851-11
Misc : 4.65g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
H0FK4

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/22/2023
Supervised By :Mahesh Dadoda 05/22/2023

Quant Time: May 20 05:09:21 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Sat May 20 04:57:36 2023
Response via : Initial Calibration

