

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052224\
 Data File : VW028674.D
 Acq On : 22 May 2024 09:38
 Operator : SY/MD
 Sample : VW0522SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK483

Quant Time: May 23 00:21:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 23 00:20:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	250134	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	227289	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	103654	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	80290	16.904	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.600%
7) Chloroethane-d5	2.899	69	71251	19.591	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.360%
11) 1,1-Dichloroethene-d2	4.027	65	35734	18.007	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.040%
21) 2-Butanone-d5	7.075	46	49985	40.336	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.680%
24) Chloroform-d	7.648	84	178106	22.788	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.160%
26) 1,2-Dichloroethane-d4	8.307	65	103005	23.020	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.080%
32) Benzene-d6	8.276	84	327160	21.574	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.280%
36) 1,2-Dichloropropane-d6	9.276	67	105245	23.064	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.240%
41) Toluene-d8	10.325	98	279153	20.787	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.160%
43) trans-1,3-Dichloroprop...	10.575	79	40053	21.819	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.280%
47) 2-Hexanone-d5	10.922	63	31370	39.859	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	84959	22.203	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.800%
66) 1,2-Dichlorobenzene-d4	13.848	152	94789	23.993	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.960%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052224\
Data File : VW028674.D
Acq On : 22 May 2024 09:38
Operator : SY/MD
Sample : VW0522SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK483

Quant Time: May 23 00:21:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 23 00:20:47 2024
Response via : Initial Calibration

