

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052224\
 Data File : VW028689.D
 Acq On : 22 May 2024 15:38
 Operator : SY/MD
 Sample : P2549-01
 Misc : 4.58g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH618

Quant Time: May 23 00:24:23 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu May 23 00:20:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	417410	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	331994	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	114895	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	133345	16.823	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.280%
7) Chloroethane-d5	2.899	69	115509	19.032	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.120%
11) 1,1-Dichloroethene-d2	4.021	65	58747	17.740	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.960%
21) 2-Butanone-d5	7.081	46	64162	31.027	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.060%
24) Chloroform-d	7.648	84	267037	20.474	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	81.880%
26) 1,2-Dichloroethane-d4	8.307	65	151172	20.245	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.000%
32) Benzene-d6	8.270	84	498529	22.507	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.040%
36) 1,2-Dichloropropane-d6	9.270	67	159802	23.975	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.920%
41) Toluene-d8	10.319	98	413208	21.065	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.240%
43) trans-1,3-Dichloroprop...	10.575	79	50527	18.844	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.360%
47) 2-Hexanone-d5	10.922	63	39833	34.650	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.300%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	115081	20.590	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	82.360%
66) 1,2-Dichlorobenzene-d4	13.848	152	91638	20.926	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.720%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052224\
Data File : VW028689.D
Acq On : 22 May 2024 15:38
Operator : SY/MD
Sample : P2549-01
Misc : 4.58g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH618

Quant Time: May 23 00:24:23 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Thu May 23 00:20:47 2024
Response via : Initial Calibration

