

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052324\
 Data File : VW028716.D
 Acq On : 23 May 2024 18:43
 Operator : SY/MD
 Sample : P2569-10
 Misc : 5.65g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH650

Quant Time: May 24 00:21:31 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 24 00:17:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	522391	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	426838	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	136640	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	160577	16.187	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.760%
7) Chloroethane-d5	2.899	69	137881	18.153	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.600%
11) 1,1-Dichloroethene-d2	4.021	65	73274	17.680	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.720%
21) 2-Butanone-d5	7.075	46	72487	28.009	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	56.020%
24) Chloroform-d	7.648	84	348140	21.328	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.320%
26) 1,2-Dichloroethane-d4	8.307	65	187057	20.017	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.080%
32) Benzene-d6	8.276	84	666357	23.399	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.600%
36) 1,2-Dichloropropane-d6	9.276	67	212856	24.839	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.360%
41) Toluene-d8	10.319	98	555030	22.008	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.040%
43) trans-1,3-Dichloroprop...	10.581	79	66323	19.239	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.960%
47) 2-Hexanone-d5	10.922	63	46721	31.611	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	63.220%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	142802	19.873	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.480%
66) 1,2-Dichlorobenzene-d4	13.848	152	120662	23.169	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.680%
Target Compounds						Qvalue
16) Methylene chloride	4.929	84	40056	4.958	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052324\
Data File : VW028716.D
Acq On : 23 May 2024 18:43
Operator : SY/MD
Sample : P2569-10
Misc : 5.65g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH650

Quant Time: May 24 00:21:31 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 24 00:17:02 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.958 ug/L
RT: 4.929 min Scan# 49
Delta R.T. 0.012 min
Lab File: VW028716.D
Acq: 23 May 2024 18:43

Instrument :
MSVOA_W
ClientSampleId :
BH650

Tgt Ion: 84 Resp: 40056
Ion Ratio Lower Upper
84 100
86 66.0 44.4 82.4
49 126.4 100.2 186.2

