

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
 Data File : VW023263.D
 Acq On : 24 May 2022 11:32
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.005g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK478

Quant Time: May 25 00:49:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 25 00:48:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	295474	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	296721	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	144929	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	118719	19.584	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.320%
7) Chloroethane-d5	2.885	69	77519	19.656	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.640%
11) 1,1-Dichloroethene-d2	4.111	63	315	0.040	ug/L	0.09
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.160%#
21) 2-Butanone-d5	7.068	46	50928	44.186	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.380%
24) Chloroform-d	7.647	84	202284	23.367	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.480%
26) 1,2-Dichloroethane-d4	8.567	65	43	0.009	ug/L	0.26
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.275	84	397835	23.261	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.040%
36) 1,2-Dichloropropane-d6	9.274	67	115952	24.135	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.560%
41) Toluene-d8	10.323	98	383338	23.203	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.800%
43) trans-1,3-Dichloroprop...	10.573	79	47755	21.588	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.360%
47) 2-Hexanone-d5	10.921	63	37949	41.379	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.760%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	97334	21.737	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.960%
66) 1,2-Dichlorobenzene-d4	13.853	152	123991	24.474	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.880%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
Data File : VW023263.D
Acq On : 24 May 2022 11:32
Operator : SY/VA
Sample : VIBLK
Misc : 5.005g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK478

Quant Time: May 25 00:49:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 25 00:48:22 2022
Response via : Initial Calibration

