

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
 Data File : VW023274.D
 Acq On : 24 May 2022 15:59
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 25 00:52:10 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 25 00:48:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	311081	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	311454	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	156344	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	125395	19.647	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.600%
7) Chloroethane-d5	2.879	69	77808	18.739	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.960%
11) 1,1-Dichloroethene-d2	4.013	63	120782	14.646	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.600%
21) 2-Butanone-d5	7.074	46	57487	47.374	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.740%
24) Chloroform-d	7.647	84	212335	23.298	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.200%
26) 1,2-Dichloroethane-d4	8.305	65	123792	24.765	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.080%
32) Benzene-d6	8.275	84	411791	22.938	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.760%
36) 1,2-Dichloropropane-d6	9.274	67	122158	24.224	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.880%
41) Toluene-d8	10.323	98	394370	22.741	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.960%
43) trans-1,3-Dichloroprop...	10.573	79	51372	22.125	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.520%
47) 2-Hexanone-d5	10.921	63	45786	47.562	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.120%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	113706	24.192	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.760%
66) 1,2-Dichlorobenzene-d4	13.853	152	133009	24.337	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.360%
Target Compounds						Qvalue
35) Methylcyclohexane	9.274	83	30956	3.734	ug/L	# 22


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
Data File : VW023274.D
Acq On : 24 May 2022 15:59
Operator : SY/VA
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: May 25 00:52:10 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 25 00:48:22 2022
Response via : Initial Calibration





#35

Methylcyclohexane

Concen: 3.734 ug/L

RT: 9.274 min Scan# 11

Delta R.T. -0.061 min


Lab File: VW023274.D

Acq: 24 May 2022 15:59

Instrument :

MSVOA_W

ClientSampleId :



Tgt Ion: 83	Resp: 30956
Ion Ratio	Lower Upper
83	100
55	0.8 55.1 82.7#
98	1.3 40.4 60.6#

