

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
 Data File : VW023287.D
 Acq On : 24 May 2022 22:25
 Operator : SY/VA
 Sample : N2926-13RE
 Misc : 2.98g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EXY23RE

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022
 Supervised By :Mahesh Dadoda 05/26/2022

Quant Time: May 25 04:09:57 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 25 04:05:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	279133	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	204336	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	53978	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	132079	23.063	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.240%		
7) Chloroethane-d5	2.885	69	89514	24.026	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	96.120%		
11) 1,1-Dichloroethene-d2	4.013	63	117581	15.890	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.560%		
21) 2-Butanone-d5	7.086	46	4850m	4.454	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	8.900%#		
24) Chloroform-d	7.647	84	256086	31.314	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	125.240%		
26) 1,2-Dichloroethane-d4	8.305	65	146629m	32.691	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	130.760%#		
32) Benzene-d6	8.275	84	412880	35.056	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	140.240%#		
36) 1,2-Dichloropropane-d6	9.274	67	146846	44.386	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	177.560%#		
41) Toluene-d8	10.323	98	296609	26.070	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	104.280%		
43) trans-1,3-Dichloroprop...	10.579	79	16178	10.620	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	42.480%		
47) 2-Hexanone-d5	10.920	63	1526	2.416	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	4.840%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	112315	36.423	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	145.680%#		
66) 1,2-Dichlorobenzene-d4	13.853	152	56408	29.895	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	119.560%		
Target Compounds						Qvalue
13) Acetone	4.123	43	29824	36.584	ug/L	99
15) Methyl Acetate	4.678	43	6817m	4.162	ug/L	
46) Tetrachloroethene	10.860	164	2536	1.019	ug/L	74

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
Data File : VW023287.D
Acq On : 24 May 2022 22:25
Operator : SY/VA
Sample : N2926-13RE
Misc : 2.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EXY23RE

Quant Time: May 25 04:09:57 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 25 04:05:49 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022
Supervised By :Mahesh Dadoda 05/26/2022

