

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
 Data File : VW023294.D
 Acq On : 25 May 2022 01:14
 Operator : SY/VA
 Sample : N2995-07
 Misc : 5.79g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GBGR0

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 05/26/2022
 Supervised By : Mahesh Dadoda 05/26/2022

Quant Time: May 25 05:59:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 25 04:05:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	271560	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	244759	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	100237	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	116913	20.984	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.920%		
7) Chloroethane-d5	2.879	69	67873	18.725	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.920%		
11) 1,1-Dichloroethene-d2	4.013	63	110100	15.294	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	61.160%		
21) 2-Butanone-d5	7.080	46	104220	98.385	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	196.760%#		
24) Chloroform-d	7.647	84	230471	28.968	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	115.880%		
26) 1,2-Dichloroethane-d4	8.305	65	151004m	34.605	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	138.440%#		
32) Benzene-d6	8.275	84	398251	28.229	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	112.920%		
36) 1,2-Dichloropropane-d6	9.274	67	133352	33.650	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	134.600%#		
41) Toluene-d8	10.323	98	313708	23.019	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.080%		
43) trans-1,3-Dichloroprop...	10.579	79	50702	27.787	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	111.160%		
47) 2-Hexanone-d5	10.920	63	80067	105.837	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	211.680%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	168037	45.493	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	181.960%#		
66) 1,2-Dichlorobenzene-d4	13.847	152	104841	29.921	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	119.680%		
Target Compounds					Qvalue	
13) Acetone	4.129	43	11514	14.518	ug/L	74

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052422\
Data File : VW023294.D
Acq On : 25 May 2022 01:14
Operator : SY/VA
Sample : N2995-07
Misc : 5.79g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GBGR0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/26/2022
Supervised By :Mahesh Dadoda 05/26/2022

Quant Time: May 25 05:59:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 25 04:05:49 2022
Response via : Initial Calibration

