

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
 Data File : VW026064.D
 Acq On : 26 May 2023 13:33
 Operator : SY/MD
 Sample : 02962-03
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 26 23:17:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 26 23:14:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	628817	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	567521	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	289424	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	153069	17.178	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.720%
7) Chloroethane-d5	2.899	69	140244	21.229	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.920%
11) 1,1-Dichloroethene-d2	4.021	65	81205	18.200	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.800%
21) 2-Butanone-d5	7.075	46	150290	51.019	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.040%
24) Chloroform-d	7.648	84	404432	22.305	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.200%
26) 1,2-Dichloroethane-d4	8.508	65	122	0.012	ug/L	0.21
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	761099	20.524	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.080%
36) 1,2-Dichloropropane-d6	9.270	67	260097	21.922	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.680%
41) Toluene-d8	10.325	98	652602	19.735	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.960%
43) trans-1,3-Dichloroprop...	10.575	79	96564	20.078	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.320%
47) 2-Hexanone-d5	10.922	63	100985	49.914	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.820%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	219624	24.286	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.160%
66) 1,2-Dichlorobenzene-d4	13.848	152	217919	20.654	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.600%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	116277	8.966	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
Data File : VW026064.D
Acq On : 26 May 2023 13:33
Operator : SY/MD
Sample : 02962-03
Misc : 5.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: May 26 23:17:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 26 23:14:25 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 8.966 ug/L
RT: 4.917 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW026064.D
Acq: 26 May 2023 13:33

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 84 Resp: 116277
Ion Ratio Lower Upper
84 100
86 63.8 41.7 77.5
49 140.2 95.3 177.1

