

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
 Data File : VW026070.D
 Acq On : 26 May 2023 15:57
 Operator : SY/MD
 Sample : 02950-18
 Misc : 2.76g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW994

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 05/29/2023
 Supervised By :Mahesh Dadoda 05/29/2023

Quant Time: May 26 23:18:43 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 26 23:14:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	843737	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	602083	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	174606	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	218692	18.291	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.160%		
7) Chloroethane-d5	2.893	69	201667	22.751	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.000%		
11) 1,1-Dichloroethene-d2	4.021	65	111300	18.590	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	74.360%		
21) 2-Butanone-d5	7.075	46	201182	50.898	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	101.800%		
24) Chloroform-d	7.648	84	550004	22.607	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	90.440%		
26) 1,2-Dichloroethane-d4	8.301	65	318432m	23.146	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.600%		
32) Benzene-d6	8.270	84	1036948	26.358	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	105.440%		
36) 1,2-Dichloropropane-d6	9.270	67	352339	27.991	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	111.960%		
41) Toluene-d8	10.319	98	780003	22.234	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.920%		
43) trans-1,3-Dichloroprop...	10.575	79	103374	20.260	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.040%		
47) 2-Hexanone-d5	10.922	63	125896	58.654	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	117.300%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	226229	23.580	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	94.320%		
66) 1,2-Dichlorobenzene-d4	13.848	152	146631	23.037	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.160%		
Target Compounds					Qvalue	
13) Acetone	4.118	43	68214	19.463	ug/L	97
16) Methylene chloride	4.917	84	88182	5.068	ug/L	92
22) 2-Butanone	7.173	43	26547	5.486	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
Data File : VW026070.D
Acq On : 26 May 2023 15:57
Operator : SY/MD
Sample : 02950-18
Misc : 2.76g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW994

Quant Time: May 26 23:18:43 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 26 23:14:25 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/29/2023
Supervised By :Mahesh Dadoda 05/29/2023

