

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
 Data File : VW026060.D
 Acq On : 26 May 2023 11:58
 Operator : SY/MD
 Sample : 02917-05
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual Integrations
 APPROVED

Reviewed By :Krupa Patel 05/29/2023
 Supervised By :Mahesh Dadoda 05/29/2023

Quant Time: May 26 23:16:39 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 26 23:14:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	688266	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	605019	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	301626	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	151668	15.551	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	62.200%		
7) Chloroethane-d5	2.899	69	139601	19.307	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.240%		
11) 1,1-Dichloroethene-d2	4.021	65	82465	16.886	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	67.560%		
21) 2-Butanone-d5	7.075	46	145345	45.078	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	90.160%		
24) Chloroform-d	7.648	84	393756m	19.840	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	79.360%		
26) 1,2-Dichloroethane-d4	8.307	65	231327m	20.613	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	82.440%		
32) Benzene-d6	8.276	84	747294	18.903	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	75.600%		
36) 1,2-Dichloropropane-d6	9.270	67	251003	19.844	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	79.360%		
41) Toluene-d8	10.325	98	639344	18.136	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	72.560%		
43) trans-1,3-Dichloroprop...	10.574	79	91130	17.774	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.080%		
47) 2-Hexanone-d5	10.922	63	95931	44.477	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	88.960%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	208342	21.611	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	86.440%		
66) 1,2-Dichlorobenzene-d4	13.848	152	217640	19.794	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	79.160%		
Target Compounds						Qvalue
16) Methylene chloride	4.911	84	85084	5.994	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052623\
Data File : VW026060.D
Acq On : 26 May 2023 11:58
Operator : SY/MD
Sample : 02917-05
Misc : 5.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Quant Time: May 26 23:16:39 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050123SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 26 23:14:25 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/29/2023
Supervised By :Mahesh Dadoda 05/29/2023





#16
Methylene chloride
Concen: 5.994 ug/L
RT: 4.911 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW026060.D
Acq: 26 May 2023 11:58

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Tgt Ion: 84 Resp: 85084
Ion Ratio Lower Upper
84 100
86 58.9 41.7 77.5
49 138.1 95.3 177.1

Manual Integrations
APPROVED

Reviewed By :Krupa Patel 05/29/2023
Supervised By :Mahesh Dadoda 05/29/2023

