

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052722\
 Data File : VW023363.D
 Acq On : 27 May 2022 11:07
 Operator : SY/VA
 Sample : VIBLK488
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK488

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/28/2022
 Supervised By :Mahesh Dadoda 06/01/2022

Quant Time: May 27 22:03:47 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri May 27 22:02:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	335561	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	326666	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	161960	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	111668	16.220	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	64.880%		
7) Chloroethane-d5	2.885	69	82779	18.482	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	73.920%		
11) 1,1-Dichloroethene-d2	4.019	63	116656	13.114	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	52.440%		
21) 2-Butanone-d5	7.080	46	58384	44.603	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	89.200%		
24) Chloroform-d	7.647	84	207156	21.071	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.280%		
26) 1,2-Dichloroethane-d4	8.305	65	115886m	21.492	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	85.960%		
32) Benzene-d6	8.275	84	390171	20.722	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.880%		
36) 1,2-Dichloropropane-d6	9.274	67	117805	22.273	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.080%		
41) Toluene-d8	10.323	98	371957	20.450	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.800%		
43) trans-1,3-Dichloroprop...	10.579	79	49703	20.409	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	81.640%		
47) 2-Hexanone-d5	10.920	63	46517	46.071	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	92.140%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	110316	22.378	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	89.520%		
66) 1,2-Dichlorobenzene-d4	13.853	152	135921	24.008	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	96.040%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052722\
Data File : VW023363.D
Acq On : 27 May 2022 11:07
Operator : SY/VA
Sample : VIBLK488
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK488

Quant Time: May 27 22:03:47 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050222SMA.M
Quant Title : SFAM01.0
QLast Update : Fri May 27 22:02:40 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 05/28/2022
Supervised By : Mahesh Dadoda 06/01/2022

