

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052824\
 Data File : VW028854.D
 Acq On : 29 May 2024 01:06
 Operator : SY/MD
 Sample : P2591-17
 Misc : 5.09g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BHBW3

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/30/2024
 Supervised By :Mahesh Dadoda 05/30/2024

Quant Time: May 29 05:50:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 29 02:08:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	352372	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	258478	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	75048	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	91218	13.632	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	54.520%		
7) Chloroethane-d5	2.899	69	88408	17.255	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	69.040%		
11) 1,1-Dichloroethene-d2	4.027	65	41854	14.971	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	59.880%		
21) 2-Butanone-d5	7.075	46	54154	31.021	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	62.040%		
24) Chloroform-d	7.648	84	239255	21.730	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.920%		
26) 1,2-Dichloroethane-d4	8.307	65	133955m	21.251	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	85.000%		
32) Benzene-d6	8.276	84	409758	23.760	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	95.040%		
36) 1,2-Dichloropropane-d6	9.270	67	147000	28.327	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	113.320%		
41) Toluene-d8	10.325	98	313176	20.506	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.040%		
43) trans-1,3-Dichloroprop...	10.575	79	37398	17.914	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.640%		
47) 2-Hexanone-d5	10.922	63	31426	35.112	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	70.220%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	109889	25.253	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	101.000%		
66) 1,2-Dichlorobenzene-d4	13.849	152	67465	23.586	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	94.360%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	38470	7.059	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052824\
Data File : VW028854.D
Acq On : 29 May 2024 01:06
Operator : SY/MD
Sample : P2591-17
Misc : 5.09g/10mL/MSVOA_W/SOIL/A
ALS Vial : 38 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BHBW3

Quant Time: May 29 05:50:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 29 02:08:39 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 05/30/2024
Supervised By :Mahesh Dadoda 05/30/2024





#16
Methylene chloride
Concen: 7.059 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW028854.D
Acq: 29 May 2024 01:06

Instrument :
MSVOA_W
ClientSampleId :
BHBW3



Tgt Ion: 84 Resp: 38470
Ion Ratio Lower Upper
84 100
86 61.1 44.4 82.4
49 119.5 100.2 186.2

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/30/2024
Supervised By :Mahesh Dadoda 05/30/2024

