

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052824\
 Data File : VW028861.D
 Acq On : 29 May 2024 03:54
 Operator : SY/MD
 Sample : P2623-09
 Misc : 6.00g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BHBR4

Quant Time: May 29 05:51:53 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 29 02:08:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	370616	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	294121	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	91412	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	98545	14.002	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	56.000%
7) Chloroethane-d5	2.899	69	96198	17.852	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.400%
11) 1,1-Dichloroethene-d2	4.027	65	45326	15.415	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.680%
21) 2-Butanone-d5	7.081	46	68105	37.092	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.180%
24) Chloroform-d	7.648	84	266071	22.976	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.920%
26) 1,2-Dichloroethane-d4	8.307	65	148200	22.353	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.400%
32) Benzene-d6	8.276	84	465144	23.703	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.800%
36) 1,2-Dichloropropane-d6	9.276	67	164500	27.858	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	111.440%
41) Toluene-d8	10.325	98	362236	20.844	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.360%
43) trans-1,3-Dichloroprop...	10.581	79	43677	18.387	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.560%
47) 2-Hexanone-d5	10.922	63	42102	41.339	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.680%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	131847	26.628	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.520%
66) 1,2-Dichlorobenzene-d4	13.848	152	90689	26.029	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.120%
Target Compounds						
16) Methylene chloride	4.923	84	19467	3.396	ug/L	Qvalue 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052824\
Data File : VW028861.D
Acq On : 29 May 2024 03:54
Operator : SY/MD
Sample : P2623-09
Misc : 6.00g/10mL/MSVOA_W/SOIL/A
ALS Vial : 45 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BHBR4


Quant Time: May 29 05:51:53 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 29 02:08:39 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.396 ug/L
RT: 4.923 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW028861.D
Acq: 29 May 2024 03:54

Instrument :
MSVOA_W
ClientSampleId :
BHBR4



Tgt Ion:	84	Resp:	19467
Ion	Ratio	Lower	Upper
84	100		
86	63.3	44.4	82.4
49	127.8	100.2	186.2

