

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052924\
 Data File : VW028871.D
 Acq On : 29 May 2024 10:03
 Operator : SY/MD
 Sample : P2569-23
 Misc : 5.05g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: May 30 01:29:56 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 29 23:53:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	291216	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	268445	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	128109	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	123758	22.379	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.520%
7) Chloroethane-d5	2.905	69	98780	23.329	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.320%
11) 1,1-Dichloroethene-d2	4.027	65	53401	23.113	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	92.440%
21) 2-Butanone-d5	7.081	46	64467	44.684	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.360%
24) Chloroform-d	7.648	84	237245	26.072	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.280%
26) 1,2-Dichloroethane-d4	8.307	65	136249	26.154	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	104.600%
32) Benzene-d6	8.276	84	480601	26.834	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	107.320%
36) 1,2-Dichloropropane-d6	9.276	67	148477	27.550	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.200%
41) Toluene-d8	10.325	98	432776	27.285	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	109.160%
43) trans-1,3-Dichloroprop...	10.574	79	56990	26.286	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	105.160%
47) 2-Hexanone-d5	10.922	63	42894	46.145	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.300%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	111574	24.689	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.760%
66) 1,2-Dichlorobenzene-d4	13.848	152	139265	28.522	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	114.080%
Target Compounds						Qvalue
16) Methylene chloride	4.929	84	11523	2.558	ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW052924\
Data File : VW028871.D
Acq On : 29 May 2024 10:03
Operator : SY/MD
Sample : P2569-23
Misc : 5.05g/10mL/MSVOA_W/SOIL/B
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: May 30 01:29:56 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 29 23:53:47 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.558 ug/L
RT: 4.929 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW028871.D
Acq: 29 May 2024 10:03

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 84 Resp: 11523
Ion Ratio Lower Upper
84 100
86 59.5 44.4 82.4
49 119.7 100.2 186.2

