

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053023\
 Data File : VW026087.D
 Acq On : 30 May 2023 14:29
 Operator : SY/MD
 Sample : 02960-04
 Misc : 6.13g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 H0FN8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 05/31/2023
 Supervised By :Mahesh Dadoda 05/31/2023

Quant Time: May 31 02:09:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 31 01:56:06 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	801935	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	713303	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	314375	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	277043	24.557	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	98.240%		
7) Chloroethane-d5	2.893	69	186672	22.104	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.400%		
11) 1,1-Dichloroethene-d2	4.015	65	133916	24.073	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	96.280%		
21) 2-Butanone-d5	7.075	46	154765	47.120	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.240%		
24) Chloroform-d	7.648	84	509464	21.694	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.760%		
26) 1,2-Dichloroethane-d4	8.307	65	296858m	23.118	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.480%		
32) Benzene-d6	8.270	84	1065679	22.203	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.800%		
36) 1,2-Dichloropropane-d6	9.270	67	339494	22.326	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.320%		
41) Toluene-d8	10.325	98	918626	21.581	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.320%		
43) trans-1,3-Dichloroprop...	10.575	79	127925	21.230	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.920%		
47) 2-Hexanone-d5	10.922	63	102572	42.780	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	85.560%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	243571	22.012	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	88.040%		
66) 1,2-Dichlorobenzene-d4	13.849	152	264079	21.946	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	87.800%		
Target Compounds					Qvalue	
13) Acetone	4.119	43	23339	9.183	ug/L	89
16) Methylene chloride	4.917	84	30601	2.391	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053023\
Data File : VW026087.D
Acq On : 30 May 2023 14:29
Operator : SY/MD
Sample : 02960-04
Misc : 6.13g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
H0FN8

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 05/31/2023
Supervised By :Mahesh Dadoda 05/31/2023

Quant Time: May 31 02:09:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 31 01:56:06 2023
Response via : Initial Calibration

