

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053024\
 Data File : VW028906.D
 Acq On : 30 May 2024 13:05
 Operator : SY/MD
 Sample : P2623-15
 Misc : 5.01g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: May 31 01:34:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 29 23:53:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	288775	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	270157	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	128501	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	109527	19.973	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.880%
7) Chloroethane-d5	2.905	69	89148	21.232	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.920%
11) 1,1-Dichloroethene-d2	4.027	65	48055	20.975	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.880%
21) 2-Butanone-d5	7.075	46	61104	42.711	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.420%
24) Chloroform-d	7.648	84	214617	23.785	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.120%
26) 1,2-Dichloroethane-d4	8.545	65	45	0.009	ug/L	0.24
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	428291	23.761	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.040%
36) 1,2-Dichloropropane-d6	9.270	67	135182	24.924	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.680%
41) Toluene-d8	10.319	98	373632	23.407	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.640%
43) trans-1,3-Dichloroprop...	10.575	79	50942	23.347	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.400%
47) 2-Hexanone-d5	10.922	63	40980	43.807	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.620%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	105718	23.245	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.960%
66) 1,2-Dichlorobenzene-d4	13.849	152	125951	25.716	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.880%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	15196	3.403	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053024\
Data File : VW028906.D
Acq On : 30 May 2024 13:05
Operator : SY/MD
Sample : P2623-15
Misc : 5.01g/10mL/MSVOA_W/SOIL/A
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001


Quant Time: May 31 01:34:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 29 23:53:47 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.403 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW028906.D
Acq: 30 May 2024 13:05

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001



Tgt Ion: 84 Resp: 15196
Ion Ratio Lower Upper
84 100
86 66.9 44.4 82.4
49 136.9 100.2 186.2

