

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053024\
 Data File : VW028909.D
 Acq On : 30 May 2024 14:16
 Operator : SY/MD
 Sample : P2647-12
 Misc : 4.44g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BHBS6

Quant Time: May 31 01:34:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed May 29 23:53:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	308219	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	216310	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	52924	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	109060	18.634	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.520%
7) Chloroethane-d5	2.899	69	103921	23.189	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.760%
11) 1,1-Dichloroethene-d2	4.027	65	45380	18.558	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.240%
21) 2-Butanone-d5	7.081	46	21879	14.328	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	28.660%
24) Chloroform-d	7.648	84	245755	25.517	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.080%
26) 1,2-Dichloroethane-d4	8.307	65	123880	22.468	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	89.880%
32) Benzene-d6	8.276	84	414605	28.728	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	114.920%
36) 1,2-Dichloropropane-d6	9.276	67	151364	34.854	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	139.400%#
41) Toluene-d8	10.325	98	292572	22.892	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.560%
43) trans-1,3-Dichloroprop...	10.575	79	23597	13.507	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	54.040%
47) 2-Hexanone-d5	10.922	63	8098	10.812	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	21.620%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	89839	24.670	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.680%
66) 1,2-Dichlorobenzene-d4	13.848	152	49771	24.674	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.680%
Target Compounds						
16) Methylene chloride	4.917	84	20742	4.351	ug/L	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053024\
Data File : VW028909.D
Acq On : 30 May 2024 14:16
Operator : SY/MD
Sample : P2647-12
Misc : 4.44g/10mL/MSVOA_W/SOIL/A
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BHBS6

Quant Time: May 31 01:34:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM050224SMA.M
Quant Title : SFAM01.0
QLast Update : Wed May 29 23:53:47 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.351 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW028909.D
Acq: 30 May 2024 14:16

Instrument :
MSVOA_W
ClientSampleId :
BHBS6

Tgt Ion: 84 Resp: 20742
Ion Ratio Lower Upper
84 100
86 68.1 44.4 82.4
49 139.4 100.2 186.2

