

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053123\
 Data File : VW026103.D
 Acq On : 31 May 2023 17:12
 Operator : SY/MD
 Sample : 02950-23
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/01/2023
 Supervised By :Mahesh Dadoda 06/01/2023

Quant Time: Jun 01 01:29:05 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 01 01:27:52 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	448558	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	412455	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	178384	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	167233	26.502	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 106.000%			
7) Chloroethane-d5	2.893	69	131765	27.894	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 111.560%			
11) 1,1-Dichloroethene-d2	4.015	65	80618	25.909	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 103.640%			
21) 2-Butanone-d5	7.075	46	93993	51.163	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 102.320%			
24) Chloroform-d	7.648	84	310284	23.622	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 94.480%			
26) 1,2-Dichloroethane-d4	8.307	65	183556m	25.555	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 102.240%			
32) Benzene-d6	8.276	84	651424	23.472	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 93.880%			
36) 1,2-Dichloropropane-d6	9.270	67	211470	24.051	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 96.200%			
41) Toluene-d8	10.319	98	545858	22.178	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 88.720%			
43) trans-1,3-Dichloroprop...	10.575	79	74712	21.443	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 85.760%			
47) 2-Hexanone-d5	10.922	63	57650	41.582	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 83.160%			
56) 1,1,2,2-Tetrachloroeth...	12.690	84	160638	25.106	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 100.440%			
66) 1,2-Dichlorobenzene-d4	13.848	152	173113	25.354	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 101.400%			
Target Compounds						Qvalue
16) Methylene chloride	4.911	84	19924	2.783	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW053123\
Data File : VW026103.D
Acq On : 31 May 2023 17:12
Operator : SY/MD
Sample : 02950-23
Misc : 5.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 06/01/2023
Supervised By : Mahesh Dadoda 06/01/2023


Quant Time: Jun 01 01:29:05 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 01 01:27:52 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.783 ug/L
RT: 4.911 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW026103.D
Acq: 31 May 2023 17:12

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001



Tgt Ion: 84 Resp: 19924
Ion Ratio Lower Upper
84 100
86 58.0 44.2 82.0
49 129.4 98.8 183.6

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 06/01/2023
Supervised By :Mahesh Dadoda 06/01/2023

