

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060321\
 Data File : VW019113.D
 Acq On : 03 Jun 2021 17:46
 Operator : SY/VA
 Sample : M2596-16
 Misc : 4.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5R5

Manual Integrations
 APPROVED

MMDadoda
 6/7/2021 6:49:49 PM

Quant Time: Jun 04 01:05:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 04 01:03:52 2021
 Response via : Initial Calibration



(7) Chloroethane-d5 (S)

3.062min (+ 0.165) 0.04 ug/L

response 300

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	32.10	37.00
51.00	28.40	26.67
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060321\
 Data File : VW019113.D
 Acq On : 03 Jun 2021 17:46
 Operator : SY/VA
 Sample : M2596-16
 Misc : 4.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5R5

Manual Integrations
 APPROVED

MMDadoda
 6/7/2021 6:49:49 PM

Quant Time: Jun 04 01:05:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 04 01:03:52 2021
 Response via : Initial Calibration



(7) Chloroethane-d5 (S)

2.892min (-0.006) 24.24 ug/L m

response 182261

Ion	Exp%	Act%
69.00	100.00	100.00
71.00	32.10	0.06#
51.00	28.40	0.04#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060321\
 Data File : VW019113.D
 Acq On : 03 Jun 2021 17:46
 Operator : SY/VA
 Sample : M2596-16
 Misc : 4.91G/10ML/MSVOA_W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5R5

Manual Integrations
 APPROVED

MMDadoda
 6/7/2021 6:49:49 PM

Quant Time: Jun 04 01:05:05 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 04 01:03:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	667735	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	566676	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	229390	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	239657	27.142	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery = 108.560%			
7) Chloroethane-d5	2.892	69	182261m	24.236	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 96.960%			
11) 1,1-Dichloroethene-d2	4.026	63	327489	18.668	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 74.680%			
21) 2-Butanone-d5	7.086	46	87075	37.648	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 75.300%			
24) Chloroform-d	7.653	84	442774	24.664	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 98.640%			
26) 1,2-Dichloroethane-d4	8.305	65	233250	23.163	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 92.640%			
32) Benzene-d6	8.275	84	911864	28.244	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 112.960%			
36) 1,2-Dichloropropane-d6	9.275	67	270554	27.642	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 110.560%			
41) Toluene-d8	10.323	98	817034	27.555	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 110.240%			
43) trans-1,3-Dichloroprop...	10.579	79	105020	24.774	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 99.080%			
47) 2-Hexanone-d5	10.927	63	73652	44.375	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 88.760%			
56) 1,1,2,2-Tetrachloroeth...	12.695	84	179157	22.190	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 88.760%			
66) 1,2-Dichlorobenzene-d4	13.853	152	208791	26.078	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 104.320%			
Target Compounds						
16) Methylene chloride	4.928	84	33343	2.691	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060321\
Data File : VW019113.D
Acq On : 03 Jun 2021 17:46
Operator : SY/VA
Sample : M2596-16
Misc : 4.91G/10ML/MSVOA_W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG5R5

Manual Integrations
APPROVED

MMDadoda
6/7/2021 6:49:49 PM

Quant Time: Jun 04 01:05:05 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060221SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 04 01:03:52 2021
Response via : Initial Calibration

