

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028959.D
 Acq On : 03 Jun 2024 13:30
 Operator : SY/MD
 Sample : P2648-16RE
 Misc : 6.34g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jun 04 02:19:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	494456	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	415493	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	156177	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	199797	25.435	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.760%
7) Chloroethane-d5	2.899	69	155179	25.726	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.920%
11) 1,1-Dichloroethene-d2	4.021	65	87593	25.371	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	101.480%
21) 2-Butanone-d5	7.075	46	91084	56.753	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	113.500%
24) Chloroform-d	7.648	84	341385	24.201	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	8.502	65	88	0.012	ug/L	0.19
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	709837	27.835	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	111.320%
36) 1,2-Dichloropropane-d6	9.270	67	214245	27.708	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.840%
41) Toluene-d8	10.324	98	619816	27.236	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	108.960%
43) trans-1,3-Dichloroprop...	10.574	79	80411	27.064	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	108.240%
47) 2-Hexanone-d5	10.922	63	64540	63.252	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.500%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	144558	26.912	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	107.640%
66) 1,2-Dichlorobenzene-d4	13.848	152	145480	26.250	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.000%
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	10.032	75	6305	0.641	ug/L #	77
48) 2-Hexanone	10.922	43	9610	3.725	ug/L #	69


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
Data File : VW028959.D
Acq On : 03 Jun 2024 13:30
Operator : SY/MD
Sample : P2648-16RE
Misc : 6.34g/10mL/MSVOA_W/SOIL/B
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Jun 04 02:19:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jun 04 02:14:06 2024
Response via : Initial Calibration








#39
cis-1,3-Dichloropropene
Concen: 0.641 ug/L
RT: 10.032 min Scan# 11
Delta R.T. -0.043 min
Lab File: VW028959.D
Acq: 03 Jun 2024 13:30

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 75 Resp: 6305
Ion Ratio Lower Upper
75 100
77 42.5 21.0 39.0#



#48
2-Hexanone
Concen: 3.725 ug/L
RT: 10.922 min Scan# 1482
Delta R.T. -0.043 min
Lab File: VW028959.D
Acq: 03 Jun 2024 13:30

Tgt Ion: 43 Resp: 9610
Ion Ratio Lower Upper
43 100
58 27.6 41.4 62.0#
57 26.9 14.2 21.4#
100 0.4 9.1 13.7#

