

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028975.D
 Acq On : 03 Jun 2024 19:54
 Operator : SY/MD
 Sample : P2678-18
 Misc : 4.82g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH687

Quant Time: Jun 04 02:22:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	396910	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	280733	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.555	152	71839	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	165283	26.213	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	104.840%
7) Chloroethane-d5	2.899	69	133131	27.495	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	110.000%
11) 1,1-Dichloroethene-d2	4.021	65	66338	23.937	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	95.760%
21) 2-Butanone-d5	7.081	46	51929	40.308	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.620%
24) Chloroform-d	7.648	84	295191	26.069	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.280%
26) 1,2-Dichloroethane-d4	8.306	65	161253	27.049	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	108.200%
32) Benzene-d6	8.270	84	523419	30.377	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	121.520%
36) 1,2-Dichloropropane-d6	9.270	67	184910	35.394	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	141.560%#
41) Toluene-d8	10.318	98	388468	25.264	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	101.040%
43) trans-1,3-Dichloroprop...	10.574	79	42763	21.302	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.200%
47) 2-Hexanone-d5	10.922	63	27509	39.902	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.800%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	109291	30.113	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	120.440%#
66) 1,2-Dichlorobenzene-d4	13.848	152	65687	25.767	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.080%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
Data File : VW028975.D
Acq On : 03 Jun 2024 19:54
Operator : SY/MD
Sample : P2678-18
Misc : 4.82g/10mL/MSVOA_W/SOIL/A
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH687

Quant Time: Jun 04 02:22:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jun 04 02:14:06 2024
Response via : Initial Calibration

