




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028970.D
 Acq On : 03 Jun 2024 17:54
 Operator : SY/MD
 Sample : P2678-13
 Misc : 5.24g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH682

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/04/2024
 Supervised By :Mahesh Dadoda 06/04/2024

Quant Time: Jun 04 02:21:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration



TIC: VW028970.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.465min (+ 0.158) 0.02 ug/L

response 130

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	64.62
51.00	105.10	80.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028970.D
 Acq On : 03 Jun 2024 17:54
 Operator : SY/MD
 Sample : P2678-13
 Misc : 5.24g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH682

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/04/2024
 Supervised By :Mahesh Dadoda 06/04/2024

Quant Time: Jun 04 02:21:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration



TIC: VW028970.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 22.73 ug/L m

response 132990

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	0.06#
51.00	105.10	0.08#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028970.D
 Acq On : 03 Jun 2024 17:54
 Operator : SY/MD
 Sample : P2678-13
 Misc : 5.24g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH682

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/04/2024
 Supervised By :Mahesh Dadoda 06/04/2024

Quant Time: Jun 04 02:21:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	389496	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	259737	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	65487	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	136996	22.140	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.560%		
7) Chloroethane-d5	2.899	69	107843	22.697	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.800%		
11) 1,1-Dichloroethene-d2	4.015	65	53541	19.687	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	78.760%		
21) 2-Butanone-d5	7.075	46	47898	37.887	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	75.780%		
24) Chloroform-d	7.648	84	229167	20.623	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	82.480%		
26) 1,2-Dichloroethane-d4	8.307	65	132990m	22.733	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	90.920%		
32) Benzene-d6	8.276	84	457875	28.721	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	114.880%		
36) 1,2-Dichloropropane-d6	9.270	67	146720	30.354	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	121.400%#		
41) Toluene-d8	10.319	98	338958	23.826	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	95.320%		
43) trans-1,3-Dichloroprop...	10.575	79	34910	18.796	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	75.200%		
47) 2-Hexanone-d5	10.922	63	27941	43.805	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	87.600%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	87996	26.206	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	104.840%		
66) 1,2-Dichlorobenzene-d4	13.848	152	51267	22.061	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	88.240%		
Target Compounds					Qvalue	
13) Acetone	4.125	43	49481	37.348	ug/L	97
16) Methylene chloride	4.917	84	15735	2.692	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
Data File : VW028970.D
Acq On : 03 Jun 2024 17:54
Operator : SY/MD
Sample : P2678-13
Misc : 5.24g/10mL/MSVOA_W/SOIL/A
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH682

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/04/2024
Supervised By :Mahesh Dadoda 06/04/2024

Quant Time: Jun 04 02:21:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jun 04 02:14:06 2024
Response via : Initial Calibration

