

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
 Data File : VW028962.D
 Acq On : 03 Jun 2024 14:42
 Operator : SY/MD
 Sample : P2678-03
 Misc : 5.41g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH674

Quant Time: Jun 04 02:20:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Jun 04 02:14:06 2024
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards							
1) 1,4-Difluorobenzene		8.843	114	436939	25.000	ug/L	0.00
28) Chlorobenzene-d5		11.629	117	342212	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.555	152	121378	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.362	65	178195	25.672	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.680%	
7) Chloroethane-d5		2.899	69	144728	27.152	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.600%	
11) 1,1-Dichloroethene-d2		4.021	65	77030	25.248	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	101.000%	
21) 2-Butanone-d5		7.075	46	86537	61.018	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	122.040%	
24) Chloroform-d		7.648	84	321289	25.774	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	103.080%	
26) 1,2-Dichloroethane-d4		8.306	65	183175	27.912	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	111.640%	
32) Benzene-d6		8.276	84	654451	31.158	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	124.640%	
36) 1,2-Dichloropropane-d6		9.270	67	203594	31.969	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	127.880%#	
41) Toluene-d8		10.324	98	547505	29.210	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	116.840%	
43) trans-1,3-Dichloroprop...		10.574	79	68264	27.896	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	111.600%	
47) 2-Hexanone-d5		10.922	63	59725	71.068	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	142.140%#	
56) 1,1,2,2-Tetrachloroeth...		12.690	84	140483	31.754	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	127.000%#	
66) 1,2-Dichlorobenzene-d4		13.848	152	125403	29.115	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	116.440%	
Target Compounds							
16) Methylene chloride		4.923	84	16222	2.474	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060324\
Data File : VW028962.D
Acq On : 03 Jun 2024 14:42
Operator : SY/MD
Sample : P2678-03
Misc : 5.41g/10mL/MSVOA_W/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH674


Quant Time: Jun 04 02:20:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Jun 04 02:14:06 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.474 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW028962.D
Acq: 03 Jun 2024 14:42

Instrument :
MSVOA_W
ClientSampleId :
BH674



Tgt Ion:	84	Resp:	16222
Ion	Ratio	Lower	Upper
84	100		
86	64.0	43.8	81.4
49	132.6	91.3	169.5

