




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060724\
 Data File : VW029050.D
 Acq On : 07 Jun 2024 10:17
 Operator : SY/MD
 Sample : VW0607SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK499

Manual IntegrationsAPPROVED

Quant Time: Jun 07 23:06:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 07 23:05:54 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/10/2024
 Supervised By :Mahesh Dadoda 06/10/2024



TIC: VW029050.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.429min (+ 0.122) 0.03 ug/L

response 128

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	57.81
51.00	105.10	104.69
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060724\
Data File : VW029050.D
Acq On : 07 Jun 2024 10:17
Operator : SY/MD
Sample : VW0607SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/10/2024
Supervised By :Mahesh Dadoda 06/10/2024

Quant Time: Jun 07 23:06:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 07 23:05:54 2024
Response via : Initial Calibration



TIC: VW029050.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.000) 22.88 ug/L m

response 102808

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	0.07#
51.00	105.10	0.13#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060724\
 Data File : VW029050.D
 Acq On : 07 Jun 2024 10:17
 Operator : SY/MD
 Sample : VW0607SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/10/2024
 Supervised By :Mahesh Dadoda 06/10/2024

Quant Time: Jun 07 23:06:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 07 23:05:54 2024
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		299124	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		274987	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		128293	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		94562	19.900	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	79.600%		
7) Chloroethane-d5	2.899	69		74586	20.440	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	81.760%		
11) 1,1-Dichloroethene-d2	4.027	65		43276	20.720	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	82.880%		
21) 2-Butanone-d5	7.075	46		46053	47.433	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	94.860%		
24) Chloroform-d	7.655	84		185244	21.707	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	86.840%		
26) 1,2-Dichloroethane-d4	8.307	65		102808m	22.883	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	91.520%		
32) Benzene-d6	8.276	84		372594	22.076	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	88.320%		
36) 1,2-Dichloropropane-d6	9.270	67		116429	22.752	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	91.000%		
41) Toluene-d8	10.325	98		324762	21.562	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	86.240%		
43) trans-1,3-Dichloroprop...	10.575	79		41580	21.145	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	84.600%		
47) 2-Hexanone-d5	10.922	63		31152	46.130	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	92.260%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		84076	23.650	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	94.600%		
66) 1,2-Dichlorobenzene-d4	13.849	152		106458	23.384	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	93.520%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060724\
Data File : VW029050.D
Acq On : 07 Jun 2024 10:17
Operator : SY/MD
Sample : VW0607SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK499

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/10/2024
Supervised By :Mahesh Dadoda 06/10/2024

Quant Time: Jun 07 23:06:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 07 23:05:54 2024
Response via : Initial Calibration

