




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060822\
 Data File : VW023430.D
 Acq On : 08 Jun 2022 16:04
 Operator : SY/VA
 Sample : N3256-02
 Misc : 5.77g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AJ7

Manual IntegrationsAPPROVED

Quant Time: Jun 09 00:42:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 09 00:39:51 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/09/2022
 Supervised By :Mahesh Dadoda 06/09/2022



TIC: VW023430.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 4.18 ug/L

response 3070

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	38.01
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060822\
 Data File : VW023430.D
 Acq On : 08 Jun 2022 16:04
 Operator : SY/VA
 Sample : N3256-02
 Misc : 5.77g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AJ7

Manual IntegrationsAPPROVED

Quant Time: Jun 09 00:42:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 09 00:39:51 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/09/2022
 Supervised By :Mahesh Dadoda 06/09/2022



TIC: VW023430.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 6.22 ug/L m

response 4563

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	32.00	25.58
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060822\
 Data File : VW023430.D
 Acq On : 08 Jun 2022 16:04
 Operator : SY/VA
 Sample : N3256-02
 Misc : 5.77g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AJ7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/09/2022
 Supervised By :Mahesh Dadoda 06/09/2022

Quant Time: Jun 09 00:42:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 09 00:39:51 2022
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.842	114		327691	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117		307347	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152		134697	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.349	65		122181	24.088	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	96.360%		
7) Chloroethane-d5	2.879	69		82155	22.992	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	91.960%		
11) 1,1-Dichloroethene-d2	4.013	63		117860	15.473	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110		Recovery =	61.880%		
21) 2-Butanone-d5	7.074	46		58922	60.232	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	120.460%		
24) Chloroform-d	7.647	84		199371	22.563	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	90.240%		
26) 1,2-Dichloroethane-d4	8.305	65		117212	25.252	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	101.000%		
32) Benzene-d6	8.275	84		383809	22.496	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	90.000%		
36) 1,2-Dichloropropane-d6	9.274	67		116621	24.388	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	97.560%		
41) Toluene-d8	10.323	98		355726	21.893	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	87.560%		
43) trans-1,3-Dichloroprop...	10.579	79		48608	22.784	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	91.120%		
47) 2-Hexanone-d5	10.921	63		43994	61.462	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	122.920%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84		108698	26.567	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	106.280%		
66) 1,2-Dichlorobenzene-d4	13.853	152		118437	24.293	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	97.160%		
Target Compounds							
13) Acetone	4.123	43		4563m	6.219	ug/L	
20) cis-1,2-Dichloroethene	7.171	96		9239	1.979	ug/L #	94
34) Trichloroethene	9.085	95		7106	1.440	ug/L	94
46) Tetrachloroethene	10.860	164		20265	5.192	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060822\
Data File : VW023430.D
Acq On : 08 Jun 2022 16:04
Operator : SY/VA
Sample : N3256-02
Misc : 5.77g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AJ7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/09/2022
Supervised By :Mahesh Dadoda 06/09/2022

Quant Time: Jun 09 00:42:15 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060622SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 09 00:39:51 2022
Response via : Initial Calibration

