




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060823\
 Data File : VW026133.D
 Acq On : 08 Jun 2023 14:33
 Operator : SY/MD
 Sample : VW0608SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK514

Manual IntegrationsAPPROVED

Quant Time: Jun 09 01:35:48 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 09 01:33:49 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/09/2023
 Supervised By :Mahesh Dadoda 06/09/2023



TIC: VW026133.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.404min (+ 0.098) 0.02 ug/L

response 242

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.70	67.77
51.00	106.50	85.95
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060823\
Data File : VW026133.D
Acq On : 08 Jun 2023 14:33
Operator : SY/MD
Sample : VW0608SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK514

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/09/2023
Supervised By :Mahesh Dadoda 06/09/2023

Quant Time: Jun 09 01:35:48 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 09 01:33:49 2023
Response via : Initial Calibration



TIC: VW026133.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (+ 0.000) 24.00 ug/L m

response 274467

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.70	0.06#
51.00	106.50	0.08#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060823\
 Data File : VW026133.D
 Acq On : 08 Jun 2023 14:33
 Operator : SY/MD
 Sample : VW0608SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK514

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/09/2023
 Supervised By :Mahesh Dadoda 06/09/2023

Quant Time: Jun 09 01:35:48 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 09 01:33:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	714177	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	650408	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	286168	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	240049	23.893	ug/L	-0.01
Spiked Amount 25.000	Range 30	- 150	Recovery	=	95.560%	
7) Chloroethane-d5	2.899	69	200848	26.705	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	106.840%	
11) 1,1-Dichloroethene-d2	4.021	65	121814	24.589	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	98.360%	
21) 2-Butanone-d5	7.075	46	142349	48.666	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	97.340%	
24) Chloroform-d	7.648	84	489891	23.424	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	93.680%	
26) 1,2-Dichloroethane-d4	8.307	65	274467m	24.000	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	96.000%	
32) Benzene-d6	8.276	84	1032281	23.587	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	94.360%	
36) 1,2-Dichloropropane-d6	9.270	67	327738	23.638	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	94.560%	
41) Toluene-d8	10.325	98	884440	22.788	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	91.160%	
43) trans-1,3-Dichloroprop...	10.575	79	113804	20.713	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	82.840%	
47) 2-Hexanone-d5	10.922	63	93256	42.656	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	85.320%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	231352	22.930	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	91.720%	
66) 1,2-Dichlorobenzene-d4	13.848	152	256028	23.375	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	93.480%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060823\
Data File : VW026133.D
Acq On : 08 Jun 2023 14:33
Operator : SY/MD
Sample : VW0608SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK514

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/09/2023
Supervised By :Mahesh Dadoda 06/09/2023

Quant Time: Jun 09 01:35:48 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 09 01:33:49 2023
Response via : Initial Calibration

