




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060923\
 Data File : VW026163.D
 Acq On : 09 Jun 2023 12:13
 Operator : SY/MD
 Sample : 03101-10RE
 Misc : 5.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 22:54:47 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 09 22:52:55 2023
 Response via : Initial Calibration



TIC: VW026163.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)




8.209min (-0.091) 0.01 ug/L

response 95

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.70	45.26
51.00	106.50	114.74
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060923\
 Data File : VW026163.D
 Acq On : 09 Jun 2023 12:13
 Operator : SY/MD
 Sample : 03101-10RE
 Misc : 5.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 22:54:47 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 09 22:52:55 2023
 Response via : Initial Calibration



TIC: VW026163.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)**8.307min (+ 0.006) 24.26 ug/L m****response 351418**

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.70	0.01#
51.00	106.50	0.03#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060923\
 Data File : VW026163.D
 Acq On : 09 Jun 2023 12:13
 Operator : SY/MD
 Sample : 03101-10RE
 Misc : 5.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 22:54:47 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 09 22:52:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	904731	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	643867	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	166582	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	257103	20.200	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	80.800%	
7) Chloroethane-d5	2.893	69	239988	25.188	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	100.760%	
11) 1,1-Dichloroethene-d2	4.021	65	127202	20.268	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	81.080%	
21) 2-Butanone-d5	7.075	46	207302	55.945	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	111.880%	
24) Chloroform-d	7.642	84	577423	21.795	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	87.160%	
26) 1,2-Dichloroethane-d4	8.307	65	351418m	24.257	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	97.040%	
32) Benzene-d6	8.270	84	1124368	25.952	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	103.800%	
36) 1,2-Dichloropropane-d6	9.270	67	377846	27.528	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	110.120%	
41) Toluene-d8	10.319	98	851964	22.174	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	88.680%	
43) trans-1,3-Dichloroprop...	10.575	79	111846	20.563	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	82.240%	
47) 2-Hexanone-d5	10.922	63	134186	62.001	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	124.000%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	237071	23.735	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	94.960%	
66) 1,2-Dichlorobenzene-d4	13.848	152	129024	20.236	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	80.960%	
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	184060	64.195	ug/L	98
22) 2-Butanone	7.173	43	77883	19.042	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW060923\
Data File : VW026163.D
Acq On : 09 Jun 2023 12:13
Operator : SY/MD
Sample : 03101-10RE
Misc : 5.65g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Jun 09 22:54:47 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 09 22:52:55 2023
Response via : Initial Calibration

