

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
 Data File : VW029120.D
 Acq On : 13 Jun 2024 13:03
 Operator : SY/MD
 Sample : VW0613SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Jun 14 05:21:38 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 14 05:21:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	267247	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	261220	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	115201	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	86061	20.271	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.080%
7) Chloroethane-d5	2.893	69	72082	22.110	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.440%
11) 1,1-Dichloroethene-d2	4.021	65	38085	20.410	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.640%
21) 2-Butanone-d5	7.075	46	49904	57.530	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.060%
24) Chloroform-d	7.746	84	190	0.025	ug/L	0.10
Spiked Amount	25.000	Range	40 - 150	Recovery	=	0.080%#
26) 1,2-Dichloroethane-d4	8.306	65	106897	26.631	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	106.520%
32) Benzene-d6	8.276	84	346496	21.611	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.440%
36) 1,2-Dichloropropane-d6	9.270	67	112449	23.132	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.520%
41) Toluene-d8	10.324	98	292647	20.454	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.800%
43) trans-1,3-Dichloroprop...	10.574	79	40225	21.534	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.120%
47) 2-Hexanone-d5	10.922	63	33148	51.673	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.340%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	87246	25.835	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	103.320%
66) 1,2-Dichlorobenzene-d4	13.848	152	98346	24.057	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.240%
Target Compounds						Qvalue
39) cis-1,3-Dichloropropene	10.032	75	3544	0.573	ug/L #	75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
Data File : VW029120.D
Acq On : 13 Jun 2024 13:03
Operator : SY/MD
Sample : VW0613SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Jun 14 05:21:38 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 14 05:21:04 2024
Response via : Initial Calibration





#39
 cis-1,3-Dichloropropene
 Concen: 0.573 ug/L
 RT: 10.032 min Scan# 14
 Delta R.T. -0.037 min
 Lab File: VW029120.D
 Acq: 13 Jun 2024 13:03

Instrument :
 MSVOA_W
 ClientSampleId :

Tgt Ion: 75 Resp: 3544
 Ion Ratio Lower Upper
 75 100
 77 43.3 21.0 39.0#

