




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
 Data File : VW029129.D
 Acq On : 13 Jun 2024 16:53
 Operator : SY/MD
 Sample : P2870-02
 Misc : 5.25g/10mL/MSVOA_W/SoIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA3

Manual IntegrationsAPPROVED

Quant Time: Jun 14 05:23:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 14 05:21:04 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/14/2024
 Supervised By :Mahesh Dadoda 06/20/2024



TIC: VW029129.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.502min (+ 0.195) 0.02 ug/L

response 127

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	50.39
51.00	105.10	86.61
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
 Data File : VW029129.D
 Acq On : 13 Jun 2024 16:53
 Operator : SY/MD
 Sample : P2870-02
 Misc : 5.25g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA3

Manual IntegrationsAPPROVED

Quant Time: Jun 14 05:23:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 14 05:21:04 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/14/2024
 Supervised By :Mahesh Dadoda 06/20/2024



TIC: VW029129.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.306min (-0.000) 24.22 ug/L m

response 173645

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.90	0.04#
51.00	105.10	0.06#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
 Data File : VW029129.D
 Acq On : 13 Jun 2024 16:53
 Operator : SY/MD
 Sample : P2870-02
 Misc : 5.25g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA3

Manual IntegrationsAPPROVED

Quant Time: Jun 14 05:23:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 14 05:21:04 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 06/14/2024
 Supervised By :Mahesh Dadoda 06/20/2024

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		477306	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		412476	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		178469	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.369	65		140854	18.576	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	74.320%		
7) Chloroethane-d5	2.899	69		124106	21.314	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	85.240%		
11) 1,1-Dichloroethene-d2	4.021	65		63557	19.070	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	76.280%		
21) 2-Butanone-d5	7.075	46		77503	50.026	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	100.060%		
24) Chloroform-d	7.648	84		293509	21.554	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	86.200%		
26) 1,2-Dichloroethane-d4	8.306	65		173645m	24.222	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	96.880%		
32) Benzene-d6	8.276	84		574021	22.674	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	90.680%		
36) 1,2-Dichloropropane-d6	9.276	67		184165	23.992	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	95.960%		
41) Toluene-d8	10.324	98		491796	21.769	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	87.080%		
43) trans-1,3-Dichloroprop...	10.574	79		59890	20.305	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	81.200%		
47) 2-Hexanone-d5	10.922	63		52585	51.913	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	103.820%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		130662	24.503	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	98.000%		
66) 1,2-Dichlorobenzene-d4	13.848	152		138843	21.923	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	87.680%		
Target Compounds							
						Qvalue	
13) Acetone	4.130	43		7745	4.770	ug/L	88
16) Methylene chloride	4.917	84		28177	3.933	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061324\
Data File : VW029129.D
Acq On : 13 Jun 2024 16:53
Operator : SY/MD
Sample : P2870-02
Misc : 5.25g/10mL/MSVOA_W/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AA3

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 06/14/2024
Supervised By :Mahesh Dadoda 06/20/2024

Quant Time: Jun 14 05:23:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM060324SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 14 05:21:04 2024
Response via : Initial Calibration

