

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061423\
 Data File : VW026187.D
 Acq On : 14 Jun 2023 18:51
 Operator : SY/MD
 Sample : 03234-09
 Misc : 4.92g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 YBTX5

Quant Time: Jun 14 23:27:14 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 14 23:24:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	871050	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	732246	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	276115	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	229429	18.723	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.880%		
7) Chloroethane-d5	2.899	69	214387	23.372	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	93.480%		
11) 1,1-Dichloroethene-d2	4.021	65	119570	19.789	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.160%		
21) 2-Butanone-d5	7.075	46	204165	57.229	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	114.460%		
24) Chloroform-d	7.648	84	564195	22.119	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	88.480%		
26) 1,2-Dichloroethane-d4	8.307	65	330522	23.697	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.800%		
32) Benzene-d6	8.276	84	1127270	22.879	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.520%		
36) 1,2-Dichloropropane-d6	9.276	67	374468	23.989	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	95.960%		
41) Toluene-d8	10.325	98	921338	21.085	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	84.360%		
43) trans-1,3-Dichloroprop...	10.575	79	124219	20.082	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	80.320%		
47) 2-Hexanone-d5	10.922	63	130682	53.094	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	106.180%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	290296	25.556	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	102.240%		
66) 1,2-Dichlorobenzene-d4	13.848	152	254516	24.083	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	96.320%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	23777	1.710	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061423\
Data File : VW026187.D
Acq On : 14 Jun 2023 18:51
Operator : SY/MD
Sample : 03234-09
Misc : 4.92g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
YBTX5


Quant Time: Jun 14 23:27:14 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM053023SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 14 23:24:58 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.710 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW026187.D
Acq: 14 Jun 2023 18:51

Instrument :
MSVOA_W
ClientSampleId :
YBTX5



Tgt Ion: 84 Resp: 23777

Ion	Ratio	Lower	Upper
84	100		
86	68.2	44.2	82.0
49	142.0	98.8	183.6

