

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061824\
 Data File : VW029173.D
 Acq On : 18 Jun 2024 13:09
 Operator : SY/MD
 Sample : VW0618SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK505

Quant Time: Jun 19 01:47:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 19 01:46:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	255658	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	242418	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	104573	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	70570	19.943	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.760%
7) Chloroethane-d5	2.899	69	58035	19.421	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.680%
11) 1,1-Dichloroethene-d2	4.027	65	33174	19.417	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	77.680%
21) 2-Butanone-d5	7.075	46	44940	42.449	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.900%
24) Chloroform-d	7.648	84	149638	19.621	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.480%
26) 1,2-Dichloroethane-d4	8.307	65	89654	20.475	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.920%
32) Benzene-d6	8.270	84	293963	19.964	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.840%
36) 1,2-Dichloropropane-d6	9.270	67	93231	19.919	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	79.680%
41) Toluene-d8	10.318	98	258868	19.871	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.480%
43) trans-1,3-Dichloroprop...	10.575	79	37220	19.733	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.920%
47) 2-Hexanone-d5	10.922	63	30210	41.173	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	82.340%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	73682	19.779	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.120%
66) 1,2-Dichlorobenzene-d4	13.848	152	82308	22.675	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.720%
Target Compounds						
16) Methylene chloride	4.917	84	13176	2.931	ug/L	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061824\
Data File : VW029173.D
Acq On : 18 Jun 2024 13:09
Operator : SY/MD
Sample : VW0618SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK505

Quant Time: Jun 19 01:47:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 19 01:46:42 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.931 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW029173.D
Acq: 18 Jun 2024 13:09

Instrument :
MSVOA_W
ClientSampleId :
VBLK505

Tgt Ion: 84 Resp: 13176
Ion Ratio Lower Upper
84 100
86 68.8 41.4 77.0
49 136.1 95.7 177.7

