

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
 Data File : VW029218.D
 Acq On : 19 Jun 2024 16:35
 Operator : SY/MD
 Sample : P2934-20
 Misc : 6.21g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4B56

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 06/20/2024
 Supervised By :Mahesh Dadoda 06/20/2024

Quant Time: Jun 20 01:55:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 20 00:39:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	441830	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	369004	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	144321	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	98947	16.180	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	64.720%		
7) Chloroethane-d5	2.899	69	90304	17.486	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	69.960%		
11) 1,1-Dichloroethene-d2	4.021	65	49306	16.699	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	66.800%		
21) 2-Butanone-d5	7.075	46	79727	43.575	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	87.160%		
24) Chloroform-d	7.648	84	242938	18.432	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	73.720%		
26) 1,2-Dichloroethane-d4	8.307	65	142906m	18.885	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	75.520%		
32) Benzene-d6	8.276	84	459494	20.501	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	82.000%		
36) 1,2-Dichloropropane-d6	9.270	67	151493	21.263	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	85.040%		
41) Toluene-d8	10.325	98	376756	18.999	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	76.000%		
43) trans-1,3-Dichloroprop...	10.575	79	50677	17.651	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	70.600%		
47) 2-Hexanone-d5	10.922	63	54752	49.022	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	98.040%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	118334	20.868	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	83.480%		
66) 1,2-Dichlorobenzene-d4	13.849	152	97813	19.525	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	78.120%		
Target Compounds					Qvalue	
13) Acetone	4.119	43	9499	6.109	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
Data File : VW029218.D
Acq On : 19 Jun 2024 16:35
Operator : SY/MD
Sample : P2934-20
Misc : 6.21g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4B56

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 06/20/2024
Supervised By :Mahesh Dadoda 06/20/2024

Quant Time: Jun 20 01:55:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 20 00:39:34 2024
Response via : Initial Calibration

