

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
 Data File : VW029226.D
 Acq On : 19 Jun 2024 20:40
 Operator : SY/MD
 Sample : P2963-03
 Misc : 4.48g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4B48

Quant Time: Jun 20 01:56:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 20 00:39:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	387673	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	310860	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	95527	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	105777	19.713	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	78.840%	
7) Chloroethane-d5	2.899	69	94939	20.952	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	83.800%	
11) 1,1-Dichloroethene-d2	4.021	65	50045	19.317	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	77.280%	
21) 2-Butanone-d5	7.075	46	87842	54.718	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	109.440%	
24) Chloroform-d	7.648	84	245779	21.253	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	85.000%	
26) 1,2-Dichloroethane-d4	8.307	65	145348	21.891	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	87.560%	
32) Benzene-d6	8.270	84	460225	24.374	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	97.480%	
36) 1,2-Dichloropropane-d6	9.270	67	151011	25.160	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	100.640%	
41) Toluene-d8	10.319	98	361114	21.617	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	86.480%	
43) trans-1,3-Dichloroprop...	10.575	79	43984	18.185	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	72.720%	
47) 2-Hexanone-d5	10.922	63	62177	66.083	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	132.160%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	106517	22.298	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	89.200%	
66) 1,2-Dichlorobenzene-d4	13.849	152	68644	20.702	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	82.800%	
Target Compounds						
						Qvalue
13) Acetone	4.125	43	19666	14.415	ug/L	95
14) Carbon disulfide	4.387	76	39720	2.709	ug/L	99
22) 2-Butanone	7.185	43	7992	4.273	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
Data File : VW029226.D
Acq On : 19 Jun 2024 20:40
Operator : SY/MD
Sample : P2963-03
Misc : 4.48g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4B48

Quant Time: Jun 20 01:56:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 20 00:39:34 2024
Response via : Initial Calibration

