

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
 Data File : VW029212.D
 Acq On : 19 Jun 2024 14:10
 Operator : SY/MD
 Sample : P2934-13
 Misc : 5.35g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CP9

Quant Time: Jun 20 01:55:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 20 00:39:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	302676	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	231243	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	75432	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	86061	20.543	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.160%
7) Chloroethane-d5	2.899	69	78410	22.163	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.640%
11) 1,1-Dichloroethene-d2	4.015	65	40254	19.901	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	79.600%
21) 2-Butanone-d5	7.075	46	87450	69.771	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	139.540%#
24) Chloroform-d	7.648	84	196602	21.775	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.080%
26) 1,2-Dichloroethane-d4	8.300	65	127152	24.528	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.120%
32) Benzene-d6	8.270	84	366967	26.127	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	104.520%
36) 1,2-Dichloropropane-d6	9.276	67	125003	27.997	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	112.000%
41) Toluene-d8	10.325	98	275140	22.141	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.560%
43) trans-1,3-Dichloroprop...	10.574	79	43295	24.063	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	96.240%
47) 2-Hexanone-d5	10.922	63	60392	86.285	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	172.560%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	103778	29.204	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	116.800%
66) 1,2-Dichlorobenzene-d4	13.848	152	56182	21.457	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.840%
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	26341	24.729	ug/L	95
14) Carbon disulfide	4.387	76	6190	0.541	ug/L	97
22) 2-Butanone	7.173	43	10289	7.047	ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW061924\
Data File : VW029212.D
Acq On : 19 Jun 2024 14:10
Operator : SY/MD
Sample : P2934-13
Misc : 5.35g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4CP9

Quant Time: Jun 20 01:55:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 20 00:39:34 2024
Response via : Initial Calibration





#13

Acetone

Concen: 24.729 ug/L

RT: 4.118 min Scan# 30

Delta R.T. -0.000 min

Lab File: VW029212.D

Acq: 19 Jun 2024 14:10

Instrument :

MSVOA_W

ClientSampleId :





A4CP9

Tgt Ion: 43 Resp: 26341

Ion Ratio Lower Upper

43 100

58 27.9 0.0 61.4



#14

Carbon disulfide

Concen: 0.541 ug/L

RT: 4.387 min Scan# 410

Delta R.T. -0.000 min

Lab File: VW029212.D




Acq: 19 Jun 2024 14:10


Tgt Ion: 76 Resp: 6190

Ion Ratio Lower Upper

76 100


78 8.1 7.2 10.8





#22
 2-Butanone
 Concen: 7.047 ug/L
 RT: 7.173 min Scan# 867
 Delta R.T. 0.006 min
 Lab File: VW029212.D
 Acq: 19 Jun 2024 14:10

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CP9



Tgt Ion: 43 Resp: 10289
 Ion Ratio Lower Upper
 43 100
 72 18.3 11.9 35.7

