

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
 Data File : VW029249.D
 Acq On : 20 Jun 2024 11:42
 Operator : SY/MD
 Sample : VIBLK466
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK466

Quant Time: Jun 21 01:30:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 21 01:26:21 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	321521	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	307947	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	147817	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	82345	18.504	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.000%		
7) Chloroethane-d5	2.893	69	64114	17.060	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	68.240%		
11) 1,1-Dichloroethene-d2	4.021	65	39385	18.330	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	73.320%		
21) 2-Butanone-d5	7.075	46	52428	39.377	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	78.760%		
24) Chloroform-d	7.648	84	179504	18.716	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	74.880%		
26) 1,2-Dichloroethane-d4	8.307	65	105034	19.074	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	76.280%		
32) Benzene-d6	8.276	84	363311	19.423	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	77.680%		
36) 1,2-Dichloropropane-d6	9.270	67	117243	19.718	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	78.880%		
41) Toluene-d8	10.325	98	331895	20.056	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	80.240%		
43) trans-1,3-Dichloroprop...	10.575	79	44980	18.773	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	75.080%		
47) 2-Hexanone-d5	10.922	63	38203	40.987	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	81.980%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	89720	18.959	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	75.840%		
66) 1,2-Dichlorobenzene-d4	13.849	152	109164	21.276	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	85.120%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	13248	2.343	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
Data File : VW029249.D
Acq On : 20 Jun 2024 11:42
Operator : SY/MD
Sample : VIBLK466
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK466

Quant Time: Jun 21 01:30:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 21 01:26:21 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.343 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW029249.D
Acq: 20 Jun 2024 11:42

Instrument :
MSVOA_W
ClientSampleId :
VIBLK466

Tgt Ion: 84 Resp: 13248
Ion Ratio Lower Upper
84 100
86 69.9 41.4 77.0
49 146.6 95.7 177.7

