

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
 Data File : VW029250.D
 Acq On : 20 Jun 2024 12:05
 Operator : SY/MD
 Sample : P2871-22
 Misc : 5.17g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4B53

Quant Time: Jun 21 01:30:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 21 01:26:21 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	503168	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	459961	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	221929	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	110722	15.898	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.600%
7) Chloroethane-d5	2.899	69	96795	16.458	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.840%
11) 1,1-Dichloroethene-d2	4.021	65	54765	16.286	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.160%
21) 2-Butanone-d5	7.075	46	74409	35.711	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.420%
24) Chloroform-d	7.648	84	270236	18.004	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	72.000%
26) 1,2-Dichloroethane-d4	8.306	65	144768m	16.799	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	67.200%#
32) Benzene-d6	8.276	84	513274	18.372	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.480%
36) 1,2-Dichloropropane-d6	9.270	67	166860	18.789	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	75.160%
41) Toluene-d8	10.324	98	450687	18.233	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.920%
43) trans-1,3-Dichloroprop...	10.574	79	58140	16.246	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	65.000%
47) 2-Hexanone-d5	10.922	63	51886	37.269	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.540%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	124436	17.605	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	70.400%
66) 1,2-Dichlorobenzene-d4	13.848	152	142447	18.492	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	73.960%#
Target Compounds					Qvalue	
13) Acetone	4.124	43	14099	7.962	ug/L	97
14) Carbon disulfide	4.386	76	7208	0.379	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
Data File : VW029250.D
Acq On : 20 Jun 2024 12:05
Operator : SY/MD
Sample : P2871-22
Misc : 5.17g/10mL/MSVOA_W/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4B53

Quant Time: Jun 21 01:30:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 21 01:26:21 2024
Response via : Initial Calibration





#13

Acetone

Concen: 7.962 ug/L

RT: 4.124 min Scan# 3

Delta R.T. 0.006 min

Lab File: VW029250.D

Acq: 20 Jun 2024 12:05

Instrument :

MSVOA_W

ClientSampleId :





A4B53

Tgt Ion: 43 Resp: 14099

Ion Ratio Lower Upper

43 100

58 29.1 0.0 61.4



#14

Carbon disulfide

Concen: 0.379 ug/L

RT: 4.386 min Scan# 410

Delta R.T. -0.006 min

Lab File: VW029250.D

Acq: 20 Jun 2024 12:05

Tgt Ion: 76 Resp: 7208

Ion Ratio Lower Upper

76 100

78 8.7 7.2 10.8

