

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
 Data File : VW029270.D
 Acq On : 20 Jun 2024 20:55
 Operator : SY/MD
 Sample : P2964-08
 Misc : 5.06g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CS4

Quant Time: Jun 21 02:43:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Jun 21 02:43:08 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	448074	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	365007	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	123053	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	98715	15.917	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	63.680%		
7) Chloroethane-d5	2.893	69	90887	17.354	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	69.400%		
11) 1,1-Dichloroethene-d2	4.021	65	50359	16.818	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	67.280%		
21) 2-Butanone-d5	7.075	46	94992	51.195	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	102.400%		
24) Chloroform-d	7.648	84	263033	19.679	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	78.720%		
26) 1,2-Dichloroethane-d4	8.301	65	152414	19.861	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	79.440%		
32) Benzene-d6	8.270	84	496522	22.396	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.600%		
36) 1,2-Dichloropropane-d6	9.270	67	167230	23.729	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.920%		
41) Toluene-d8	10.319	98	398098	20.296	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.200%		
43) trans-1,3-Dichloroprop...	10.575	79	53467	18.826	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	75.320%		
47) 2-Hexanone-d5	10.922	63	63441	57.424	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	114.840%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	130849	23.328	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	93.320%		
66) 1,2-Dichlorobenzene-d4	13.849	152	88953	20.826	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	83.320%		
Target Compounds					Qvalue	
13) Acetone	4.119	43	34533	21.900	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062024\
Data File : VW029270.D
Acq On : 20 Jun 2024 20:55
Operator : SY/MD
Sample : P2964-08
Misc : 5.06g/10mL/MSVOA_W/SOIL/A
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4CS4

Quant Time: Jun 21 02:43:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Jun 21 02:43:08 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 21.900 ug/L
 RT: 4.119 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: VW029270.D
 Acq: 20 Jun 2024 20:55

Instrument :
 MSVOA_W
 ClientSampleId :
 A4CS4

Tgt Ion: 43 Resp: 34533
 Ion Ratio Lower Upper
 43 100
 58 31.2 0.0 61.4

