

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW062118\
 Data File : VW003414.D
 Acq On : 22 Jun 2018 03:32
 Operator : SY/AP
 Sample : J3621-02
 Misc : 7.92G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAZ92

Quant Time: Jun 22 07:30:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 22 07:26:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	315805	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	312420	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	148430	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	93922	21.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.72%
7) Chloroethane-d5	2.89	69	78812	22.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.20%
10) 1,1-Dichloroethene-d2	4.01	63	138090	16.24	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.96%
20) 2-Butanone-d5	7.09	46	60652	44.94	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.88%
24) Chloroform-d	7.65	84	197995	23.83	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.32%
26) 1,2-Dichloroethane-d4	8.31	65	124341	25.19	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.76%
29) Benzene-d6	8.28	84	370556	22.35	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.40%
33) 1,2-Dichloropropane-d6	9.28	67	121892	23.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.92%
37) Toluene-d8	10.33	98	343724	21.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.76%
38) trans-1,3-Dichloropropene-	10.58	79	51719	20.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.96%
39) 2-Hexanone-d5	10.93	63	47312	44.11	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.22%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	109745	22.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	133917	23.89	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.56%


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
13) Acetone	4.15	43	12920	8.981	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW062118\
Data File : VW003414.D
Acq On : 22 Jun 2018 03:32
Operator : SY/AP
Sample : J3621-02
Misc : 7.92G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAZ92

Quant Time: Jun 22 07:30:29 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 22 07:26:48 2018
Response via : Initial Calibration





#13

Acetone

Concen: 8.981 ug/L

RT: 4.15 min Scan# 420

Delta R.T. 0.00 min

Lab File: VW003414.D

Acq: 22 Jun 2018 03:32

Instrument :

MSVOA_W

ClientSampleId :

DAZ92

Tgt Ion: 43 Resp: 12920

Ion Ratio Lower Upper

43 100

58 27.2 0.0 58.6

