

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW062118\
 Data File : VW003393.D
 Acq On : 21 Jun 2018 17:37
 Operator : SY/AP
 Sample : J3619-06
 Misc : 7.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAZ70

Quant Time: Jun 22 04:56:29 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jun 22 04:53:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	373290	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	358229	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	166256	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	100378	19.83	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.32%
7) Chloroethane-d5	2.89	69	81006	19.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.72%
10) 1,1-Dichloroethene-d2	4.01	63	149553	14.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.52%
20) 2-Butanone-d5	7.09	46	64948	40.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	81.42%
24) Chloroform-d	7.65	84	202877	20.66	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.64%
26) 1,2-Dichloroethane-d4	8.31	65	127786	21.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.60%
29) Benzene-d6	8.27	84	390215	20.53	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.12%
33) 1,2-Dichloropropane-d6	9.28	67	126057	20.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.80%
37) Toluene-d8	10.33	98	363309	19.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.96%
38) trans-1,3-Dichloropropene-	10.58	79	54941	19.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.80%
39) 2-Hexanone-d5	10.93	63	48219	39.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	78.42%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	108263	19.34	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.36%
61) 1,2-Dichlorobenzene-d4	13.87	152	136598	21.75	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW062118\
Data File : VW003393.D
Acq On : 21 Jun 2018 17:37
Operator : SY/AP
Sample : J3619-06
Misc : 7.72G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAZ70

Quant Time: Jun 22 04:56:29 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Fri Jun 22 04:53:24 2018
Response via : Initial Calibration

