

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW062218\
 Data File : VW003422.D
 Acq On : 22 Jun 2018 13:04
 Operator : SY/AP
 Sample : J3619-15
 Misc : 5.005G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DAZ85

Quant Time: Jun 23 02:15:53 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 23 02:14:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	340971	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	321214	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	138200	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	96603	20.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.56%
7) Chloroethane-d5	2.89	69	87270	22.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.48%
10) 1,1-Dichloroethene-d2	4.01	63	151178	16.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.84%
20) 2-Butanone-d5	7.09	46	64482	44.25	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.50%
24) Chloroform-d	7.65	84	209857	23.40	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.60%
26) 1,2-Dichloroethane-d4	8.31	65	127234	23.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.48%
29) Benzene-d6	8.27	84	391361	22.96	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.84%
33) 1,2-Dichloropropane-d6	9.28	67	129417	23.99	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.96%
37) Toluene-d8	10.33	98	355167	21.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.20%
38) trans-1,3-Dichloropropene-	10.59	79	51695	20.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.64%
39) 2-Hexanone-d5	10.93	63	48202	43.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.42%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	109270	21.77	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	87.08%
61) 1,2-Dichlorobenzene-d4	13.87	152	123476	23.66	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.64%


Target Compounds					Qvalue
13) Acetone	4.15	43	25228	16.242 ug/L	61
21) 2-Butanone	7.19	43	7985	4.375 ug/L	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW062218\
Data File : VW003422.D
Acq On : 22 Jun 2018 13:04
Operator : SY/AP
Sample : J3619-15
Misc : 5.005G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DAZ85

Quant Time: Jun 23 02:15:53 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM062018S.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 23 02:14:03 2018
Response via : Initial Calibration





#13

Acetone

Concen: 16.242 ug/L

RT: 4.15 min Scan# 420

Delta R.T. -0.01 min

Lab File: VW003422.D

Acq: 22 Jun 2018 13:04

Instrument :

MSVOA_W

ClientSampleId :





DAZ85

Tgt Ion: 43 Resp: 25228

Ion Ratio Lower Upper

43 100

58 50.4 0.0 58.6



#21

2-Butanone

Concen: 4.375 ug/L

RT: 7.19 min Scan# 919

Delta R.T. 0.01 min

Lab File: VW003422.D

Acq: 22 Jun 2018 13:04

Tgt Ion: 43 Resp: 7985

Ion Ratio Lower Upper

43 100

72 16.7 12.5 37.5

