

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062624\
 Data File : VW029355.D
 Acq On : 26 Jun 2024 12:36
 Operator : SY/MD
 Sample : VIBLK479
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK479

Quant Time: Jun 27 05:38:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Jun 27 05:32:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	298545	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	270434	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	122784	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	86074	20.830	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	83.320%		
7) Chloroethane-d5	2.899	69	65856	18.872	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	75.480%		
11) 1,1-Dichloroethene-d2	4.021	65	39604	19.850	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.400%		
21) 2-Butanone-d5	7.075	46	53275	43.093	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	86.180%		
24) Chloroform-d	7.648	84	173433	19.474	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	77.880%		
26) 1,2-Dichloroethane-d4	8.301	65	102383	20.023	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	80.080%		
32) Benzene-d6	8.276	84	344990	21.002	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	84.000%		
36) 1,2-Dichloropropane-d6	9.270	67	109988	21.064	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	84.240%		
41) Toluene-d8	10.325	98	298031	20.507	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.040%		
43) trans-1,3-Dichloroprop...	10.575	79	42355	20.129	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	80.520%		
47) 2-Hexanone-d5	10.922	63	33263	40.637	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	81.280%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86102	20.719	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	82.880%		
66) 1,2-Dichlorobenzene-d4	13.849	152	98249	23.053	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	92.200%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	18455	3.516	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062624\
Data File : VW029355.D
Acq On : 26 Jun 2024 12:36
Operator : SY/MD
Sample : VIBLK479
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK479

Quant Time: Jun 27 05:38:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM061824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Jun 27 05:32:27 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.516 ug/L
RT: 4.923 min Scan# 49
Delta R.T. -0.006 min
Lab File: VW029355.D
Acq: 26 Jun 2024 12:36

Instrument :
MSVOA_W
ClientSampleId :
VIBLK479

Tgt Ion: 84 Resp: 18455

Ion	Ratio	Lower	Upper
84	100		
86	63.6	41.4	77.0
49	129.3	95.7	177.7

