

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
 Data File : VW026344.D
 Acq On : 27 Jun 2023 11:02
 Operator : SY/MD
 Sample : 03421-03
 Misc : 4.80g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4635

Quant Time: Jun 28 01:20:26 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 28 01:18:48 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1137400	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	1031797	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	460283	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	332490	20.122	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	80.480%		
7) Chloroethane-d5	2.899	69	259727	22.111	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	88.440%		
11) 1,1-Dichloroethene-d2	4.027	65	162050	21.662	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	86.640%		
21) 2-Butanone-d5	7.075	46	209377	40.318	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	80.640%		
24) Chloroform-d	7.648	84	673801	20.906	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	83.640%		
26) 1,2-Dichloroethane-d4	8.398	65	322	0.018	ug/L	0.09
Spiked Amount 25.000	Range 70 - 130		Recovery =	0.080%#		
32) Benzene-d6	8.276	84	1398039	21.890	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.560%		
36) 1,2-Dichloropropane-d6	9.276	67	451485	21.755	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	87.040%		
41) Toluene-d8	10.325	98	1270717	22.731	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	90.920%		
43) trans-1,3-Dichloroprop...	10.581	79	187043	22.448	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	89.800%		
47) 2-Hexanone-d5	10.922	63	149405	46.877	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	93.760%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	335382	20.527	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	82.120%		
66) 1,2-Dichlorobenzene-d4	13.855	152	356634	22.253	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.000%		
Target Compounds					Qvalue	
13) Acetone	4.125	43	42311	10.179	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
Data File : VW026344.D
Acq On : 27 Jun 2023 11:02
Operator : SY/MD
Sample : 03421-03
Misc : 4.80g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4635

Quant Time: Jun 28 01:20:26 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 28 01:18:48 2023
Response via : Initial Calibration





#13

Acetone

Concen: 10.179 ug/L

RT: 4.125 min Scan# 3

Delta R.T. -0.006 min

Lab File: VW026344.D

Acq: 27 Jun 2023 11:02

Instrument :

MSVOA_W

ClientSampleId :

A4635

Tgt Ion: 43 Resp: 42311

Ion Ratio Lower Upper

43 100

58 29.1 0.0 55.8

