

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
 Data File : VW026352.D
 Acq On : 27 Jun 2023 14:14
 Operator : SY/MD
 Sample : 03421-14
 Misc : 5.73g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46H4

Quant Time: Jun 28 01:22:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 28 01:18:48 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1017048	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	749116	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	190258	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	286016	19.357	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.440%
7) Chloroethane-d5	2.899	69	279696	26.629	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	106.520%
11) 1,1-Dichloroethene-d2	4.021	65	147035	21.981	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	87.920%
21) 2-Butanone-d5	7.075	46	171236	36.875	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.760%
24) Chloroform-d	7.648	84	606858	21.057	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.240%
26) 1,2-Dichloroethane-d4	8.477	65	202	0.012	ug/L	0.17
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	1243781	26.824	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	107.280%
36) 1,2-Dichloropropane-d6	9.276	67	390357	25.908	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.640%
41) Toluene-d8	10.325	98	1018668	25.099	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.400%
43) trans-1,3-Dichloroprop...	10.581	79	128985	21.322	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.280%
47) 2-Hexanone-d5	10.922	63	105546	45.612	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.220%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	241163	20.330	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.320%
66) 1,2-Dichlorobenzene-d4	13.848	152	149442	22.559	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	90.240%
Target Compounds					Qvalue	
13) Acetone	4.118	43	251052	67.545	ug/L	99
22) 2-Butanone	7.173	43	111596	19.623	ug/L	97
48) 2-Hexanone	10.953	43	44699	6.942	ug/L #	41


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
Data File : VW026352.D
Acq On : 27 Jun 2023 14:14
Operator : SY/MD
Sample : 03421-14
Misc : 5.73g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A46H4

Quant Time: Jun 28 01:22:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 28 01:18:48 2023
Response via : Initial Calibration









#13
Acetone
Concen: 67.545 ug/L
RT: 4.118 min Scan# 30
Delta R.T. -0.012 min
Lab File: VW026352.D
Acq: 27 Jun 2023 14:14




Instrument :
MSVOA_W
ClientSampleId :
A46H4


Tgt Ion: 43 Resp: 251052
Ion Ratio Lower Upper
43 100
58 27.4 0.0 55.8



#22
2-Butanone
Concen: 19.623 ug/L
RT: 7.173 min Scan# 867
Delta R.T. -0.000 min
Lab File: VW026352.D
Acq: 27 Jun 2023 14:14


Tgt Ion: 43 Resp: 111596
Ion Ratio Lower Upper
43 100
72 22.2 11.8 35.3





#48
 2-Hexanone
 Concen: 6.942 ug/L
 RT: 10.953 min Scan# 14
 Delta R.T. -0.012 min
 Lab File: VW026352.D
 Acq: 27 Jun 2023 14:14

Instrument :
 MSVOA_W
 ClientSampleId :
 A46H4



Tgt Ion: 43	Resp: 44699
Ion Ratio	Lower Upper
43 100	
58 0.0	40.1 60.1#
57 0.0	13.4 20.0#
100 0.3	8.2 12.2#

