

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
 Data File : VW026358.D
 Acq On : 27 Jun 2023 16:38
 Operator : SY/MD
 Sample : 03421-16
 Misc : 4.76g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A46H6

Quant Time: Jun 28 01:23:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 28 01:18:48 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1143364	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	1032711	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	489362	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	309596	18.639	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.560%
7) Chloroethane-d5	2.893	69	293400	24.848	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.400%
11) 1,1-Dichloroethene-d2	4.021	65	160848	21.389	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	85.560%
21) 2-Butanone-d5	7.075	46	230893	44.229	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.460%
24) Chloroform-d	7.648	84	678588	20.945	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.760%
26) 1,2-Dichloroethane-d4	8.130	65	54	0.003	ug/L	-0.18
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.000%#
32) Benzene-d6	8.276	84	1376371	21.532	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.120%
36) 1,2-Dichloropropane-d6	9.270	67	439055	21.138	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.560%
41) Toluene-d8	10.325	98	1234969	22.072	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.280%
43) trans-1,3-Dichloroprop...	10.575	79	184103	22.076	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.320%
47) 2-Hexanone-d5	10.922	63	151247	47.413	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.820%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	352878	21.579	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.320%
66) 1,2-Dichlorobenzene-d4	13.848	152	398215	23.371	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.480%
Target Compounds					Qvalue	
13) Acetone	4.131	43	12111	2.898	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
Data File : VW026358.D
Acq On : 27 Jun 2023 16:38
Operator : SY/MD
Sample : 03421-16
Misc : 4.76g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A46H6

Quant Time: Jun 28 01:23:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 28 01:18:48 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.898 ug/L
 RT: 4.131 min Scan# 30
 Delta R.T. 0.000 min
 Lab File: VW026358.D
 Acq: 27 Jun 2023 16:38

Instrument :
 MSVOA_W
 ClientSampleId :
 A46H6

Tgt Ion: 43 Resp: 12111
 Ion Ratio Lower Upper
 43 100
 58 29.8 0.0 55.8

