

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
 Data File : VW026367.D
 Acq On : 27 Jun 2023 21:13
 Operator : SY/MD
 Sample : 03420-04
 Misc : 6.07g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4640

Quant Time: Jun 28 05:53:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Jun 28 05:31:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	1186204	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	1026387	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	488839	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	300569	17.442	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.760%
7) Chloroethane-d5	2.893	69	258770	21.123	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.480%
11) 1,1-Dichloroethene-d2	4.027	65	147781	18.942	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.760%
21) 2-Butanone-d5	7.075	46	200153	36.956	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.920%
24) Chloroform-d	7.764	84	359	0.011	ug/L	0.12
Spiked Amount	25.000	Range	40 - 150	Recovery	=	0.040%#
26) 1,2-Dichloroethane-d4	8.045	65	185	0.010	ug/L	-0.26
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	1314103	20.684	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.720%
36) 1,2-Dichloropropane-d6	9.276	67	426898	20.679	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.720%
41) Toluene-d8	10.325	98	1200569	21.590	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.360%
43) trans-1,3-Dichloroprop...	10.575	79	170567	20.578	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.320%
47) 2-Hexanone-d5	10.922	63	127953	40.358	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	317205	19.517	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	78.080%
66) 1,2-Dichlorobenzene-d4	13.849	152	360591	21.186	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.760%
Target Compounds					Qvalue	
13) Acetone	4.131	43	27797	6.412	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW062723\
Data File : VW026367.D
Acq On : 27 Jun 2023 21:13
Operator : SY/MD
Sample : 03420-04
Misc : 6.07g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4640

Quant Time: Jun 28 05:53:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM062623SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Jun 28 05:31:59 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 6.412 ug/L
 RT: 4.131 min Scan# 30
 Delta R.T. 0.013 min
 Lab File: VW026367.D
 Acq: 27 Jun 2023 21:13

Instrument :
 MSVOA_W
 ClientSampleId :
 A4640

Tgt Ion: 43 Resp: 27797
 Ion Ratio Lower Upper
 43 100
 58 27.9 0.0 55.8

